The Peering Database

The https://www.peeringdb.com/ is a freely available, user-maintained database of networks which take part in the global Internet. It is considered the authoritative source of all information relating to network operators who participate in peering around the world.

The database facilitates the global interconnection of networks at Internet Exchange Points (IXPs), data centres, and other interconnection facilities, and is the first stop in making interconnection decisions.

Background

In the early Internet (of the 1990s) there were few network operators and interconnect points around the world that interconnections were relatively straightforward to seek out and implement (in the author's experience anyway). In March 1999 there were 4640 ASNs in the Internet with only 800 providing transit. This compares with today's total exceeding 73000 ASNs and over 10000 ASNs providing transit, never mind that almost every country in the world now has at least one Internet Exchange Point if not a datacentre facilitating commercial interconnects.

In the 1990s establishing new interconnects by attending in major Internet operations meetings (NANOG, RIPE, AfNOG, APRICOT and so on), with network information passed on by word of mouth or email or even by letter!

With the rapid growth of the Internet in the late 1990s and early 2000s, there needed to be a more scalable way for a Network Operator to get their “peering information” out to the global Internet operations community. And hence the PeeringDB was born.

What is the Peering DB

The Peering DB is a repository of the important information that network operators need to determine whether an interconnection is feasible, makes commercial sense, makes technical sense, and is even technically feasible. While the Peering DB website has much more detailed information, the Peering Toolbox is highlighting the key points.

Here are some example entries to show what is possible. The first example (publicly accessible) is of LINX, the London Internet Exchange:



which shows a screen capture of what is available at their LON1 site, a scrollable list of the participants, how to contact LINX, etc.

The second example below shows that of a AWS (Amazon Web Services), one of the major content networks on the Internet:



This one shows the Public peering and Private peering facilities AWS is present at. So a potential peer

can check which locations they share with AWS, and then contact them about peering. The page for AWS contains data about number of prefixes, traffic ratios, etc, plus the IP addressing used at the various public Internet connect points. All this is designed to make it easier for prospective peers to assess and reach out to AWS for peering.

And the final example shows Aerelion (formerly Telia Carrier), the operator of AS1299, one of the international transit carriers serving the global Internet:



again showing the type of data that are published in the PeeringDB.

Creating a PeeringDB Entry

The Peering Toolbox recommends (strongly) that any entity with their own AS Number and address space should create an entry in the Peering DB. There is no cost to doing so.

A tutorial on how to create an entry is currently beyond the scope of the Peering DB - but the best advice is to look at other PeeringDB entries and use what those entries have to guide what is needed for your own one.

Why a PeeringDB entry

Today very few network operators will considering peering with an entity that has no PeeringDB entry. In fact, many will make it a requirement before they will even respond to a peering request. Indeed, some operators will go as far as using information in the PeeringDB for configuring peering sessions with their peers, making it essential that the entries are kept up to date.

Back to "What I need to Peer" page

From:
https://bgp4all.com/pfs/ - **Philip Smith's Internet Development Site**

Permanent link:
https://bgp4all.com/pfs/peering-toolbox/the_peering_database?rev=1651813520

Last update: **2022/05/06 05:05**